


General (system configuration)



- [Description](#)
- [Common settings](#)
 - [Default item provider](#)
 - [Debugging information](#)
 - [Website is temporary unavailable](#)
 - [Enter captcha when sign in into admin panel](#)
- [Email setting](#)
 - [Sender's email](#)
 - [Email for notifications](#)
 - [Name of sender \(service\)](#)
 - [Notification language](#)
- [SMTP settings for mailing](#)

This subsection allows you to configure your site's common settings.

Navigate to Configuration > System > Common in the administrative panel.



Description

This subsection contains website's common settings. Here you can control goods providers, set up an email address for notifications or mailing lists, and also configure SMTP protocol settings to send e-mails.

Common settings

Default item provider

The Box supports different goods providers such as Taobao, Yahoo Japan, as well as your personal providers, for example, Warehouse.

Click the appropriate dropdown list to select the website's main provider (his catalog and collections will be shown on the website which does not exclude availability of other providers but makes them minor).

Home > Configuration > System > General

Website configuration Orders Delivery Languages System Access to search by IP

General [Update](#)

General

Default item provider ?	<div>Taobao</div>
Debug information ?	Display
The website is temporary unavailable ?	Disable
Enter captcha when sign in into admin panel ?	Disable

In the list that appears select a preferred provider.

Home > Configuration > System > General

Website configuration Orders Delivery Languages System Access to search by IP

General [Update](#)

General

Default item provider ⓘ

Debug information ⓘ

The website is temporary unavailable ⓘ

Enter captcha when sign in into admin panel ⓘ

Taobao

Taobao

Warehouse

Yahoo Japan

Yahoo Japan Auction


Kitmall

1688.com

✓

[Disable](#)

You should click on the checkmark button to apply the settings.



It is necessary to clear your browser's cache to make modifications visible on the website.



Debugging information


Here one can set debugging information required for website speed testing to be displayed or hidden.




Note!

The website speed testing button will not appear until you log in to the administrative area. One always has to make sure that the administrative and customer website URL address does not contain www prefix.


Click the dashed blue underlined text to enable/disable this feature.



Click the dropdown list arrow to reveal all possible choices.



In the list that appears click on the desired setting.




Click the checkmark button to save the modifications.

The modifications will appear on the website immediately after saving.

It is recommended that you enable this feature together with the “[Website is temporary unavailable](#)” option.

With this feature enabled (debugging information is displayed), a button called “Website speed analysis” will appear in the website header.




Website is temporary unavailable


When enabled, the website will be temporary offline for maintenance. Disabled is default.




Click on the dashed blue underlined text to enable/disable this feature.



Click the dropdown list arrow to reveal all possible choices.



In the list that appears click on the desired setting.



Click on the checkmark button to save the modifications.

The modifications will appear on the website immediately after saving.


With this option enabled, the following message will appear on your website

One may edit the content of this page in the “[Content](#)” section.


Enter captcha when sign in into admin panel

A captcha suggests additional protection of your website from guessing a password.


Click the dashed blue underlined text to enable/disable this feature.



Click the dropdown list arrow to reveal all possible choices.




In the list that appears click on the desired setting.



The screenshot shows the 'General' configuration page. At the top, there are tabs for 'Website configuration', 'Orders', 'Delivery', 'Languages', 'System', and 'Access to search by IP'. Below these is a 'General' tab and an 'Update' link. The main section is titled 'General'. It contains several settings: 'Default item provider' set to 'Taobao', 'Debug information' with a 'Hide' link, 'The website is temporary unavailable' with a 'Disable' link, and 'Enter captcha when sign in into admin panel'. The dropdown menu for the last setting is open, showing 'Disable', 'Enable' (highlighted), and 'Disable'. A red box highlights the dropdown menu.

Click on the checkmark button to save the modifications.



The screenshot shows the 'General' configuration page after the modification. The 'Enter captcha when sign in into admin panel' dropdown menu is now set to 'Enable'. A red box highlights the checkmark button next to the dropdown menu.

The modifications will appear on the website immediately after saving.

With this option enabled, a captcha is displayed while logging in to the administration panel.

Authorization

Login

Password

437276

Log in

Email setting

Sender's email

This is the e-mail address that notifications are sent from (the "From" field), for example, in mailing lists.

Click the dashed blue underlined text to enter the desired setting.

ConfigurationSystemGeneral

Website configurationOrdersDeliveryLanguagesSystemAccess to search by IP

GeneralUpdate

General

Default item provider ⓘTaobao✔

Debug information ⓘHide

The website is temporary unavailable ⓘDisable

Enter captcha when sign in into admin panel ⓘEnable

Email_setting

Sender's email ⓘempty

Email for notifications ⓘempty

Name of sender (service) ⓘempty

Notification language ⓘRussian

SMTP settings for mailing

SMTP server address ⓘempty

SMTP server port ⓘempty

SMTP server login ⓘempty

SMTP server password ⓘempty

Use SSL security protocol ⓘDon't use

Enter the setting you need.

Email_setting

Sender's email ?

example@domain.tld

✓

✕

Email for notifications ?

(empty)

Name of sender (service) ?

(empty)

Notification language ?

Russian

SMTP settings for mailing

SMTP server address ?

(empty)

SMTP server port ?

(empty)

SMTP server login ?

(empty)

SMTP server password ?

(empty)

Use SSL security protocol ?

Don't use

Click on the checkmark button to save the modifications.

Email_setting

Sender's email ?

example@domain.tld

✓

✕

Email for notifications ?

(empty)

Name of sender (service) ?

(empty)

Notification language ?

Russian

SMTP settings for mailing

SMTP server address ?

(empty)

SMTP server port ?

(empty)

SMTP server login ?

(empty)

SMTP server password ?

(empty)

Use SSL security protocol ?


Don't use

The modifications become valid as soon as they are saved.

Email for notifications

This is the e-mail address to which notifications are sent (from the administrator panel, users or website). This address can be the same as sender e-mail address.

Click the dashed underlined text to enter the desired setting.



Email_setting

Sender's email ?	(empty)
Email for notifications ?	(empty)
Name of sender (service) ?	(empty)
Notification language ?	Russian

SMTP settings for mailing

SMTP server address ?	(empty)
SMTP server port ?	(empty)
SMTP server login ?	(empty)
SMTP server password ?	(empty)
Use SSL security protocol ?	Don't use

Enter the setting you need.

Email_setting

Sender's email ?

(empty)

Email for notifications ?

example@domain.tld

✓

✕

Name of sender (service) ?

(empty)

Notification language ?

[Russian](#)

SMTP settings for mailing

SMTP server address ?

(empty)

SMTP server port ?

(empty)

SMTP server login ?

(empty)

SMTP server password ?

(empty)

Use SSL security protocol ?

[Don't use](#)

Click on the checkmark button to save the modifications.

Email_setting

Sender's email ?

(empty)

Email for notifications ?

example@domain.tld

✓

✕

Name of sender (service) ?

(empty)

Notification language ?

[Russian](#)

SMTP settings for mailing

SMTP server address ?

(empty)

SMTP server port ?

(empty)

SMTP server login ?

(empty)

SMTP server password ?

(empty)

Use SSL security protocol ?

[Don't use](#)


The modifications become valid as soon as they are saved.

Name of sender (service)

This is a name that will be displayed to a recipient in the "From" field next to your e-mail address or instead of it.

This field is not mandatory.

To fill in the appropriate field click the dashed underlined text.



The screenshot shows a web interface for email settings. It is divided into two main sections: 'Email_setting' and 'SMTP settings for mailing'. Each section contains several configuration fields. The 'Name of sender (service)' field in the 'Email_setting' section is highlighted with a red rectangular box. A red arrow points from the text 'Name of sender (service)' to this field. The field itself contains the text '(empty)' which is underlined with a dashed line. A mouse cursor is positioned over the field. Other fields in the 'Email_setting' section include 'Sender's email' (empty), 'Email for notifications' (empty), and 'Notification language' (Russian). The 'SMTP settings for mailing' section includes fields for 'SMTP server address' (empty), 'SMTP server port' (empty), 'SMTP server login' (empty), 'SMTP server password' (empty), and 'Use SSL security protocol' (Don't use).

Email_setting	
Sender's email ?	<u>(empty)</u>
Email for notifications ?	<u>(empty)</u>
Name of sender (service) ?	<u>(empty)</u>
Notification language ?	<u>Russian</u>

SMTP settings for mailing	
SMTP server address ?	<u>(empty)</u>
SMTP server port ?	<u>(empty)</u>
SMTP server login ?	<u>(empty)</u>
SMTP server password ?	<u>(empty)</u>
Use SSL security protocol ?	<u>Don't use</u>

This will bring up a form to be filled in. Enter the preferred setting.

Email_setting

Sender's email ? [\(empty\)](#)

Email for notifications ? [\(empty\)](#)

Name of sender (service) ?

Notification language ? [Russian](#)

SMTP settings for mailing

SMTP server address ? [\(empty\)](#)

SMTP server port ? [\(empty\)](#)

SMTP server login ? [\(empty\)](#)

SMTP server password ? [\(empty\)](#)

Use SSL security protocol ? [Don't use](#)

Click the checkmark button to apply modifications.

Email_setting

Sender's email ? [\(empty\)](#)

Email for notifications ? [\(empty\)](#)

Name of sender (service) ?

Notification language ? [Russian](#)

SMTP settings for mailing

SMTP server address ? [\(empty\)](#)

SMTP server port ? [\(empty\)](#)

SMTP server login ? [\(empty\)](#)

SMTP server password ? [\(empty\)](#)

Use SSL security protocol ? [Don't use](#)

Notification language

This is a notification language for website administrators.

To change a notification language from Russian into English or vice versa click the dashed blue underlined text.

Email_setting

Sender's email ⓘ *(empty)*

Email for notifications ⓘ *(empty)*

Name of sender (service) ⓘ *Saler*

Notification language ⓘ *Russian*

SMTP settings for mailing

SMTP server address ⓘ *(empty)*

SMTP server port ⓘ *(empty)*

SMTP server login ⓘ *(empty)*

SMTP server password ⓘ *(empty)*

Use SSL security protocol ⓘ *Don't use*

Click the dropdown list arrow to reveal all possible choices.

Email_setting

Sender's email ⓘ *(empty)*

Email for notifications ⓘ *(empty)*

Name of sender (service) ⓘ *Saler*

Notification language ⓘ *Russian* ✓ ✕

SMTP settings for mailing

SMTP server address ⓘ *(empty)*

SMTP server port ⓘ *(empty)*

SMTP server login ⓘ *(empty)*

SMTP server password ⓘ *(empty)*

Use SSL security protocol ⓘ *Don't use*

In the list that appears click on the desired setting.

Email_setting

Sender's email [?](#) *(empty)*

Email for notifications [?](#) *(empty)*

Name of sender (service) [?](#) *Saler*

Notification language [?](#)

SMTP settings for mailing

SMTP server address [?](#) *(empty)*

SMTP server port [?](#) *(empty)*

SMTP server login [?](#) *(empty)*

SMTP server password [?](#) *(empty)*

Use SSL security protocol [?](#) *Don't use*


Click on the checkmark button to save the modifications.

Email_setting

Sender's email (empty)

Email for notifications (empty)

Name of sender (service) Saler

Notification language English 

SMTP settings for mailing

SMTP server address (empty)

SMTP server port (empty)

SMTP server login (empty)

SMTP server password (empty)

Use SSL security protocol Don't use

The modifications become valid as soon as they are saved.

SMTP settings for mailing

Each mail message system provides the detailed settings itemized below. You should fill in the appropriate fields in accord with your e-mail account instructions.

For webmail providers the said instructions can be found by a search engine (for example, <https://www.google.ru/>) query like the following: "SMTP settings to send e-mails gmail" where "gmail" is the address following the "at" sign (@). If you have a company's e-mail server (your company website address follows the "at" sign) contact your system administrator and request the list of the settings given below:

1. SMTP server address
2. SMTP server port
3. SMTP server login
4. SMTP server password
5. Enable the SSL protocol (yes or no)

To fill out the necessary fields you should perform the following steps:

Click the dashed underlined text to enter the desired setting.

Email_setting	
Sender's email ?	(empty)
Email for notifications ?	(empty)
Name of sender (service) ?	Saler
Notification language ?	English
SMTP settings for mailing	
SMTP server address ?	(empty)
SMTP server port ?	(empty)
SMTP server login ?	(empty)
SMTP server password ?	(empty)
Use SSL security protocol ?	Don't use

Enter the setting you need.

Email_setting	
Sender's email ?	(empty)
Email for notifications ?	(empty)
Name of sender (service) ?	Saler
Notification language ?	English
SMTP settings for mailing	
SMTP server address ?	<input type="text" value="mail.com"/> ✓ ✕
SMTP server port ?	(empty)
SMTP server login ?	(empty)
SMTP server password ?	(empty)
Use SSL security protocol ?	Don't use

Click on the checkmark button to save the modifications.

Email_setting

Sender's email ?

(empty)

Email for notifications ?

(empty)

Name of sender (service) ?

[Saler](#)

Notification language ?

[English](#)

SMTP settings for mailing

SMTP server address ?

gmail.com

☒

☐

SMTP server port ?

(empty)

SMTP server login ?

(empty)

SMTP server password ?

(empty)

Use SSL security protocol ?

[Don't use](#)

The modifications will appear on the website immediately after saving.