# Security

- General
  - Enter captcha when signing into admin panel
  - Secure protocol HTTPS
    - How to start using HTTPS?
  - Google reCAPTCHA
- Key protection
- Change password

Location in admin mode: Configuration System Security



## General

### Enter captcha when signing into admin panel

Captcha is an additional brute forcepassword protection for admin panel.

Click caption with dotted line to use (or disable) this feature:

☆ Configuration → System	] → Security						
Website configuration	Orders	Delivery	Languages	Instance configuration	Letters templates	System	
General Security U	<u>Ipdate</u>						
General							
Enter captcha when sig panel ②	n in into adr	nin Disab	le	Docum Google	entation C	Disable	
				0			
Key protection 📀		Disa	bl 🔻 🖍	The pu	blic key 🕜	(empty)	
				The se	cret key 😰	(empty)	
Documentation 🖸					Ι		
Use HTTPS 🕢		Disa	bl 🔻 🔽				

#### Open drop-down list clicking a triangle:

rightarrow   Configuration  ightarrow   System	<u>n</u> → Security							
Website configuration	Orders	Delivery	Languages	Instance configu	uration	Letters templates	System	
General Security L	<u>Jpdate</u>							
General								
Enter captcha when sig panel 😡	in in into adr	nin Disabl	e	• • ×	Docum Google	entation 🖸 reCAPTCHA 📀	!	Disable
Key protection 📀		Disa	ble 🔻 🖍		The pu	blic key 🕜	1	(empty)
					The see	cret key 🚱	1	(empty)
Documentation 🗗 Use HTTPS 😡		Disa	bl 🔻 🖍					

Choose necessary value from drop-down list clicking it:



#### Save choice clicking checkmarked button:

☆ Configuration → System	<u>m</u> ⇒ Security							
Website configuration	Orders	Delivery	Languages	Instance configu	uration	Letters templates	System	
General Security	<u>Update</u>							
General								
Enter captcha when si	gn in into ad	min Enabl	e	• 🗸 ×	Docum	entation 🖸		
panel 📀					Google	e reCAPTCHA 🚱		Disable
Key protection 📀		Disa	ble 🔻 🖍		The pu	blic key 📀		(empty)
					The se	cret key 😨		(empty)
Documentation C								
Use HTTPS 🚱		Disa	bl 🔻 🖍					

Changes will take effect immediately after saving.

Captcha is displayed during authorization in admin panel when this option is enabled:

Authorizatio	'n
Login	
Password	
	267838 Log in

### Secure protocol HTTPS

Data protection is extremely important in some services, for example, in electronic payment systems or in online stores, therefore they use only HTTPS. This protocol is also very often used in other services that process private information, including any personal data. The presence of encrypted data transmission increases customer loyalty by ensuring that their personal data will remain secret and no one can use it for their own purposes.



- 2. You must install certificate on the server where your site is located after you have purchased a certificate. You can provide certificate to your hosting provider and he will do it himself.
- 3. It's necessary to configure HTTPS protocol in OT Box when certificate is installed on your server.

Error will be issued stating that connection is not secure if you enable setting without installed SSL certificate. Some browsers block such sites!

Click a triangle to open drop-down list to enable protocol:

☆ Configuration → System	m → Security						
Website configuration	Orders	Delivery	Languages	Instance configuration	Letters templates	System	
General Security	<u>Update</u>						
General							
Enter captcha when signal of the second seco	gn in into ad	min Disab	e	<u>Docur</u> Googl	nentation 🖸 e reCAPTCHA 😡		Disable
				0			
Key protection ©		Disa	bl 🔻 🖍	The p	ublic key 📀		(empty)
				The s	ecret key 🚱		(empty)
Documentation C		Disa	bl y 🗸				

Choose and click "Enable" (or "Disable" if this service is no longer required) in the list:

Website configuration         Orders         Delivery         Languages         Instance	configuration Letters template	s System
General Security Update		
General		
Enter captcha when sign in into admin Disable panel @	Documentation C Google reCAPTCHA @	Disable
Key protection	The public key 🚱	(empty)
	The secret key 📀	(empty)
Documentation C Use HTTPS © Disable Disable		

Save choice clicking checkmarked button:



### Google reCAPTCHA

We recommend to enable Google reCAPTCHA if you want to protect your site from spam and bots. In this case your site will be monitored for suspicious activity, and captcha will be shown on website when doubt arises in the "humanity" of site visitor:



We need API key to install such captcha, therefore we go to https://www.google.com/recaptcha/admin. You should be registered in Google to get access to this page.You will be prompted to register your site and enter a list of domains where this particular reCAPTCHA will be used. Subdomains are automatically counted.

Note! We support only reCAPTCHA v2 (version 2) or more earlier versions. We don't support new versions.

Label			
For exam	le, domain.com	: Comments page	
Domains (one per line)			
For examp domain.co domain.or domain.or	e: m t		

You will get website key and partner secret key after that:



Open "Security" section:

1	Orders	☆ Configuration → System → Security			
		Website configuration Orders Deliver	y Languages Instance config	uration Letters templates System	
\$	Pricing	General Security Update			
	Promotion	General			
	Contents	Enter captcha when sign in into admin Die	sable	Documentation 2	
	Catalog	panel 😡		Google reCAPTCHA 📀	Disable
		Key protection 🛛	Disabl 🔻 🔽	The public key 😡	(empty)
	Users			The secret key 😡	(empty)
an C	Configuration	Documentation 🖸 Use HTTPS 🚱	inable 🔻 🗸		
.11	Reports				
٠	Plugins	Key protection			

Click caption with dotted line "Disable" next to Google reCAPTCHA:

☆ Configuration → System → Security			
Website configuration Orders Del	livery Languages Insta	ance configuration Letters templates	System
General Security Update			
General			
Enter captcha when sign in into admin panel @	Disable	Documentation C Google reCAPTCHA	Disable
Key protection Ø	Disabl 🔻	The public key 😡	(empty)
		The secret key 😡	(empty)
Documentation C	Enable 🔻		

Choose "Enable" from drop-down list:

A > Configuration > System	<u>n</u> → Security								
Website configuration	Orders	Delivery	Languages	Instance configuration	Letters templates	System			
General Security	<u>Jpdate</u>								
General									
Enter captcha when sig panel @	gn in into adı	min Disabl	e	<u>Docun</u> Google	entation 🖸		Disable	· ·	×
Key protection Ø		Disa	bl 🔻 🖍	The pu	ıblic key 📀		Disable		
				The se	ecret key 🔞		(empty)		
Documentation C Use HTTPS @		Enat	ole 🔻 🖍						

Save choice clicking checkmarked button:

A > Configuration > System > Security						
Website configuration Orders Del	ivery Languages	Instance configuration	Letters templates	System		
General Security Update						
General						
Enter captcha when sign in into admin	Disable	Docum		ſ	Faabla	
panei 🥪		Google	recapicha 🥪	l	Enable	×
Key protection Ø	Disabl 🔻 🗸	The pu	blic key 🔞		(empty)	
		The se	cret key 📀		(empty)	
Documentation C						
Use HTTPS 🕢	Enable 🔻 🗸					

Enter keys from Google into "Public key" and "Secret key" fields.

Website configuration Orders Delivery Languages Instance configuration Letters templates System	
General Security Update	
General	
Enter captcha when sign in into admin Disable Documentation C	
panel @ Google reCAPTCHA @ Enable	
Key protection  Disable Company The public key  (empty)	
The secret key @ (empty)	
Use HTTPS 💿 Enable 🔻 💙	

Click grey caption with dotted line :

A > Configuration > System > Security							
Website configuration Orders Deli	very Languages	Instance config	guration	Letters templates	System		
General Security Update							
General							
Enter captcha when sign in into admin panel @	Disable		<u>Docum</u> Google	entation C		Enable	
Key protection @	Disabl 🔻		The pu	blic key 📀		(empty)	
			The se	cret key 😨		(empty)	
	Epoble -						
USE HIT'S V							

Copy key in Google and paste it into corresponding field. Paste site key in "The public key" field, paste secret key in "The secret key" field .

<b>☆</b> <u>Configuration</u> → <u>System</u>	<u>n</u> → Security									
Website configuration	Orders	Delivery	Languages	Instance config	uration	Letters templates	System			
General Security	<u>Jpdate</u>									
General										
Enter captcha when sig panel 😡	gn in into adr	nin <mark>Disabl</mark>	e		<u>Docum</u> Google	entation C		Enable		
Key protection 📀		Disa	bl 🔻 🖍		The pu	blic key 📀	(		-	
					The se	cret key 😨		(empty)		
Documentation C		Enat	ole 🔹							

Save data in each field separately clicking checkmark button:

A > Configuration > System	<u>a</u> → Security									
Website configuration	Orders	Delivery	Languages	Instance configurat	ion	Letters templates	System			
General Security U	<u>Ipdate</u>									
General										
Enter captcha when sig	ın in into adı	min Disabl	е	De	ocume	ntation 🖸				
panel 📀				G	oogle r	eCAPTCHA 🕢		Enable	Г	
Key protection 😡		Disa	bl 🔻 🖍	١T	ne pub	lic key 🚱		xxxxxxxx	3	~
				T	ne seci	ret key 🕜		(empty)		
Documentation C		Enat	ole 🔻 🗸							

Ready. Google reCAPTCHA will track users' activity on your site now.

## Key protection

You must specify IP address of the server where your Box is located in order to protect your Personal Key (Instance Key) from illegal use, when it comes to third parties. Key will not work on another server besides yours when the setting is enabled.

Contact your system administrator or technical support of your hosting to find out your server IP address. Most often, dedicated IP address is most often paid separately (provided as a hosting service, but usually price rarely exceeds a couple of dollars a month, but there are also tariffs where server IP address is used as the main service and is included in the monthly fee).

Click a triangle to open drop-down list to enable key protection:

â	Configuration → System → Security								
	Website configuration	Orders	Delivery	Languages	Instance configuration	n Letters	templates	System	
(	Seneral Security	<u>Update</u>							
G	eneral								
	Enter captcha when signal of the signal of the signal of the second seco	gn in into adı	min <mark>Disab</mark> l	e	<u>Do</u> Go	umentation Construction	CHA @		Disable
	Key protection 🔞		Disa	bl 🔻 🖍	Th	public key 🕜			(empty)
					Th	secret key 🔞			(empty)
	Documentation C		Enat	ole 🔻					

Choose and click "Enable" (or "Disable" if this service is no longer required ) in the list:

Website configuration Orders	Delivery Languages	Instance configuration	Letters templates	System	
General Security Update					
General					
Enter captcha when sign in into ad panel 📀	min Disable	Google	reCAPTCHA @		Disable
Key protection 🕢		The pu	blic key 📀		(empty)
	Disable	The set	cret key 🔞		(empty)
Documentation C	Enable 🔹				

Save choice clicking checkmarked button:

Website configuration Orders	Delivery Languages	Instance configuration	Letters templates	System	
General Security Update					
General					
Enter captcha when sign in into adm panel 😡	in Disable	<u>Docum</u> Google	entation 🗹 reCAPTCHA 📀		Disable
Key protection 😡	Enable 🔻 🔽	The pu	blic key 🚱		(empty)
		The se	cret key 📀		(empty)
Documentation C	Enable 🔻				

Find "Key protection" on the page:

General			
Enter captcha when sign in into admin panel 😡	Disable	Documentation [2] Google reCAPTCHA @	Disable
Key protection 📀	Enable 🔻 🗸	The public key 😡	(empty)
		The secret key 😡	(empty)
Documentation ☑ Use HTTPS Ø	Enable 🔻 🗸		
Key protection + Add IP + Assign current server ip			

Click "Add IP" to limit number of addresses that have access to the key:

General			
Enter captcha when sign in into admin Disable	9	Documentation C Google reCAPTCHA @	Disable
Key protection	le 🔻 🗸	The public key 🔞	(empty)
		The secret key 😡	(empty)
Documentation ☑ Use HTTPS Ø Enab	le 🔻 🗸		
Key protection			
+ Add IP + Assign current server ip			
Denomination	Action		

Enter IP address of your server in opened field (where website is located):

General			
Enter captcha when sign in into admin panel © Key protection © Documentation 2	Disable Enable V	Documentation C* Google reCAPTCHA @ The public key @ The secret key @	Disable (empty) (empty)
Use HTTPS 😡	Enable 🔻 🗸		
Key protection			
+ Add IP + Assign current server ip 185.4.73.167 Add Can	cel		
Denomination	Action		

Click "Add" button:

General			
Enter captcha when sign in into admin Disable panel		Documentation C Google reCAPTCHA	Disable (empty)
Documentation 7		The secret key ©	(empty)
Key protection			
+ Add IP + Assign current server ip 185.4.73.167 Add Cancel			
Denomination	Action		

IP address will appear in the list below:

General					
Enter captcha when sign in into admin panel @	Disable		Documentation 27 Google reCAPTCHA @	Disable	
Key protection ©	Enable 🔻	<b>~</b>	The public key 😡	(empty)	
			The secret key 🚱	(empty)	
Documentation 🗗 Use HTTPS 😡	Enable V	~			
Key protection           + Add IP         + Assign current server ip					
Denomination	A	Action			
185.4.73.167		0			
123.123.123.123		0			

Click cross in "Actions" column to delete IP Address:

General			
Enter captcha when sign in into admin panel ©	Disable	Documentation  Coogle reCAPTCHA	Disable
Key protection @	Enable 🔻 🗸	The public key 📀	(empty)
		The secret key 📀	(empty)
Documentation 27 Use HTTPS @	Enable V		
Key protection         + Add IP       + Assign current server ip			
Denomination	Action		
185.4.73.167	8		
123.123.123.123	C Delete IP		

Documentation C <sup>®</sup>			
Use HTTPS O Confirmation req	uired		×
Are you sure you want	t to delete 185.4.73.167 ?		
+ Add IP + Ass		Cance	əl
Denomination	Action		
185.4.73.167			
127.0.0.1			
46.231.175.236			
Change password			
New password			

If at the moment, your server with the site has its dedicated IP address already, you can bind it with one click. Click "+ Assign current server ip":

General			
Enter captcha when sign in into admin Disable panel @		Documentation 7 Google reCAPTCHA	Disable
Key protection @ Enable	• •	The public key 😡	(empty)
		The secret key 😨	(empty)
Documentation C See HTTPS  Enable	Y .		
Key protection         + Add IP         + Assign current server ip			
Denomination	Action		
185.4.73.167	0		
123.123.123.123	0		

Page will be updated after clicking and IP address will appear in the list.

## Change password

Enter your old password first to change password of your (current) account.

Change passw	ord	
Old password	12345	
New password		Generate password
	Save	

Enter new password after that:

Change password		
Old password	12345	
New password	54FgHhUer/321	Generate password
	Save	

You can use password generation function to make password more complicated than in the example (where unreliable version of password is shown). Click "Generate" button:

Change passwor	rd		
Old password	12345		
New password	54FgHhUer321	Generate password	
	Save		

New password is ready.

Change password			
Old password New password	12345 qg0fwv8t Save	Generate password	

Click "Save" to save it:

Change password			
Old password	12345	]	
New password	qg0fwv8t	Generate password	
	Save		

#### Confirmation is required to change password:

rote + Assi	Confirmation	required			×
tion	Are you sure you	want to change a password?			_
67	Yes			Са	ancel
		٥			
236		۲			

Password will be changed if everything went well. Error will be shown if the old password is incorrect:

 ⊠ Support (5 / 13) –				🛛 Help 🚽	¢₀ Settings -	🛔 SuperAdmin 🚽	🍽 en 🚽	
Key protection					A Error Wrong password.			Γ
+ Add IP + Assign current server ip					1			
Denomination		Action						
185.4.73.167		0						
127.0.0.1		0			/			
46.231.175.236		0						
Change password								
Old password	12345		)					
New password	qg0fwv8t		Generate password					
	Save							

Change password and try again.