

Создание приложения Facebook для настройки входа



Настройки админки ОТ

Открываем в админке раздел «Плагины».

Проверяем наличие плагина «Редирект для приложений авторизации через соц. сети» (*RedirectAuthOtpi*) — именно он поможет работать с Facebook. Обязательно активируем. Если в списке его нет, обратитесь в службу поддержки.

Ценообразование	Прямые платежи	1.1.0	Активен	
Продвижение	Google Analytics	1.0.1	Активен	
Содержание	Https редирект	1.0.0	Активен	
Каталог	Открыть товар в новой вкладке	1.0.3	Активен	
Пользователи	Демонстрация MetaUI	0.0.1	Активен	
Конфигурация	Мобильное приложение	1.1.0	Активен	
Отчеты	Отоп - открытый доступ	1.0.0	Активен	
Плагины	Всплывающее сообщение	1.0.2	Активен	
	Информационные метки товаров	1.0.2	Активен	
	Автовыкуп	1.1.11	Активен	
	Редирект для приложений авторизации через соц. сети	1.0.0	Активен	
	Новогодняя тема	1.0.5	Неактивен	
	Дизайн сайта Elastic	1.0.15	Активен	
	Дизайн сайта Fashi	1.0.8	Активен	
	Выгрузка остатков	1.0.0	Активен	
	Всплывающая панелька	1.0.2	Неактивен	
	Новогодняя тема	1.0.5	Неактивен	
	Включение старого заказа	1.0.2	Неактивен	
	Включение старого поиска	1.0.4	Неактивен	

Если плагин не активен, то кликаем на шестеренку в колонке «Действия» и активируем его

1.0.2	Неактивен	
1.0.5	Неактивен	Активировать
1.0.2	Неактивен	
1.0.4	Неактивен	

Необходимо установить плагин, если он еще не установлен. В разделе «Плагины» Напротив плагина «Демонстрация MetaUI» должно стоять «Активен».

Ценообразование	Плагины			
Продвижение	Плагин	Версия	Статус	Действия
Содержание	Закрепить верхнее меню	1.0.3	Активен	
Каталог	Попытки платёжи	1.1.0	Активен	
Пользователи	Google Analytics	1.0.1	Активен	
Конфигурация	https редирект	1.0.0	Активен	
Отчеты	Открыть товар в новой вкладке	1.0.3	Активен	
Плагины	Демонстрация MetaUI	0.0.1	Активен	
	Мобильное приложение	1.1.0	Активен	
	Открыть_открытый_доступ	1.0.0	Активен	
	Всплывающее сообщение	1.0.2	Активен	
	Информационные метки товаров	1.0.2	Активен	
	Автовыкуп	1.1.11	Активен	

Если плагин не активен, то кликаем на шестеренку в колонке «Действия» и активируем его

1.0.2	Неактивен	
1.0.5	Неактивен	
1.0.2	Неактивен	
1.0.4	Неактивен	

Настройка «Демонстрация MetaUI»

Ниже мы получим App ID и App secret во время настройки Facebook.

В плагинах в «Демонстрация MetaUI» выбираем «Настройки внешней аутентификации».

Заказы
Ценообразование
Продвижение
Содержание
Каталог
Пользователи
Конфигурация
Отчеты
Плагины

Плагины > Демонстрация MetaUI


Демонстрация MetaUI

Настройки внешней аутентификации
Демонстрационный объект
Дополнительная информация о продавце
Дополнительная информация о товаре
Информация о почтовом сервере
Информация о шаблоне сообщения
Настройки автоматических подборок
Настройки баннеров
Настройки витрины
Настройки внешней аутентификации
Настройки геолокации
Настройки дизайна приложений
Настройки для полей профиля
Настройки заказов
Настройки интеграции заказов провайдера
Настройки интеграции Яндекс-Маркета
Настройки коллекций
Настройки контентных страниц
Настройки отзывов на товары
Настройки отправки сообщений
Настройки перевода

Секрет приложения в соцсети

Публичный ключ приложения в соцсети

Создаем Facebook. Нажимаем на кнопку «+» и в первой строке «Внешняя система аутентификации» выбираем Facebook. «Вид приложения» выбираем «Веб-сайт».



Для созданных настроек в поле «Идентификатор приложения в соцсети» вписываем App ID, в «Секрет приложения в соцсети» вписываем App secret.



Примечание

«Секрет приложения в соцсети» — настройка очень важна, без неё авторизация работать не будет на нашей стороне.

Демонстрация MetaUI

Настройки внешней аутентифици ▼

открыть

Настройки внешней аутентификации

Настройки внешней аутентификации

✕ Google/MobileApplication/Android

✕ Google/MobileApplication/iOS

✕ Facebook/WebSite

✕ Facebook/MobileApplication/Android

+

Внешняя система аутентификации

[Facebook](#)

Вид приложения

[Веб-сайт](#)

Идентификатор приложения в соцсети ?

[350136426594595](#)

Секрет приложения в соцсети ?

Публичный ключ приложения в соцсети ?

?

[Не установлено](#)

Идентификатор группового аккаунта в соцсети ?

[Не установлено](#)

Необходимость выбора аккаунта ?

[Не требуется](#)


Настройка «Редирект для приложений авторизации через соц. сети»

В Плагине сайта "Редирект для приложений авторизации через соц. сети" необходимо скопировать автоматически созданную ссылку из раздела "Facebook Valid OAuth Redirect URL" [https://\[имя вашего сайта\]/plugin/request/RedirectAuthOtpi/fb.callback](https://[имя вашего сайта]/plugin/request/RedirectAuthOtpi/fb.callback) и заполнить ею поле "Адрес редиректа" внизу .

Без выполнения этого действия возникает ошибка

"URL-адрес заблокирован Этот перенаправление не удалось, поскольку URI перенаправления не внесен в белый список в настройках OAuth клиента приложения. Убедитесь, что клиентский и веб-вход OAuth включены, и добавьте все домены приложений в качестве действительных URI перенаправления OAuth."


Редирект для приложений авторизации через соц. сети



Настройки Facebook

Создание и настройки приложения происходят по ссылке: https://developers.facebook.com/apps/?show_reminder=true.

Чтобы создать приложение, необходимо перейти по ссылке выше и затем нажать "Create App", после чего откроется страница создания приложения.



На появившейся странице в типе выбрать "Consumer" и нажать далее "Next".

Create an App

Cancel

Type

Details

Select an app type

The app type can't be changed after your app is created. [Learn more](#)

Business

Create or manage business assets like Pages, Events, Groups, Ads, Messenger and Instagram Graph API using the available business permissions, features and products.

Consumer

Connect consumer products and permissions, like Facebook Login and Instagram Basic Display to your app.

Instant Games

Create an HTML5 game hosted on Facebook.

Gaming

Connect an off-platform game to Facebook Login.

Workplace

Create enterprise tools for Workplace from Meta.

None

Create an app with combinations of consumer and business permissions and products.

Next

В окне детали ввести название приложения "Display name", это название будет отображаться при входе, затем нажать "Create app".

Create an App

Cancel

Type

Details

Add details

Display name

This is the app name associated with your app ID. You can change this later.

TestApp

App contact email

This email address is used to contact you about potential policy violations, app restrictions or steps to recover the app if it's been deleted or compromised.

panchuk51@mail.ru

Business Account - Optional

To access certain permissions or features, apps need to be connected to a Business Account.

No Business Manager account selected


By proceeding, you agree to the [Facebook Platform Terms](#) and [Developer Policies](#).

Previous


Create app

Теперь приложение создано. Необходимо добавить продукт "Facebook Login" который как раз отвечает за вход.


Если делать это сразу после создания, то список продуктов появится на экране, на нем нужно найти "Facebook Login" и нажать "Set up". Если же это делается позже, то список продуктов можно получить нажав в левом меню "Add Product", далее действия аналогичны.




После нажатия на "Set up" откроется страница быстрой настройки "Quickstart" для "Facebook Login". Для начала выбираем платформу "Web".



Вводим ссылку на сайт, затем "Save" и "Continue".




Во всех следующих вкладках жмем "Next", они несут больше информативный характер.



После изучения информации на последнем 5 шаге, переходим в пункт "Settings" меню "Facebook Login" расположенного слева. В целом после появления "Facebook Login" в левом меню можно перейти в "Settings" указав адрес сайта там.

Перейдя в настройки можно увидеть красное предупреждение, жмем на ссылку в нем "Get Advanced Access", после чего откроется окно разрешений.



Находим разрешения "public_profile" и "email" и жмем "Get advanced access", таким образом повышая уровень разрешений.

Filter access levels ▾	Search Permissions and Features				
Permissions and features 11	Access level ⓘ ↓	API Calls ⓘ 11	App Review Status 11	Action ⓘ 11	
user_messenger_contact The user_messenger_contact permission allows a business to contact a person via Messenger upon their approval or initiation of a chat thread with the business's Page.	Standard Access	Ready to Use (0)	No App Review requested	Request advanced access	🗑️
Full Description ⓘ Requirements ⓘ					
Embed Read The embed Read feature allows your app to get embed HTML and basic metadata for public Facebook and Instagram pages, posts, and videos.	Standard Access	Ready to Use (0)	No App Review requested	Request advanced access	🗑️
Full Description ⓘ Requirements ⓘ					
public_profile Allows apps to read the Default Public Profile Fields on the User node. This permission is automatically granted to all apps.	Standard Access	Ready to Use (0)	Auto Granted	Get advanced access	🗑️
Full Description ⓘ Requirements ⓘ					
user_photos The user_photos permission allows your app to read the photos a person has uploaded to Facebook.	Standard Access	Ready to Use (0)	No App Review requested	Request advanced access	🗑️
Full Description ⓘ Requirements ⓘ					

Ставим галочку и ждем "Confirm".

Confirm advanced access for public_profile

The public_profile permission allows apps to read the Default Public Profile Fields on a User node. The allowed usage for this permission is to authenticate app users and provide them with a personalized in-app experience. This permission is automatically granted to all apps. You may also use this permission to request analytics insights to improve your app and for marketing or advertising purposes, through the use of aggregated and de-identified or anonymized information (provided such data cannot be re-identified).

☒
 I agree that any data I receive through **public_profile** will be used in accordance with the allowed usage.

Cancel

Confirm

После чего в графе уровня доступа можно увидеть повышенный доступ "Advanced Access".

Permissions and Features					
Filter access levels ▾	Search Permissions and Features				
Permissions and features 11	Access level 1 ↓	API Calls 11	App Review Status 11	Action 11	
public_profile Allows apps to read the Default Public Profile Fields on the User node. This permission is automatically granted to all apps. Full Description Requirements	Advanced Access	Ready to Use (0)	Auto Granted	Return to standard access	
user_messenger_contact The user_messenger_contact permission allows a business to contact a person via Messenger upon their approval or initiation of a chat thread with the business's Page. Full Description Requirements	Standard Access	Ready to Use (0)	No App Review requested	Request advanced access	
Embed Read The oEmbed Read feature allows your app to get embed HTML and basic metadata for public Facebook and Instagram pages, posts, and videos. Full Description Requirements	Standard Access	Ready to Use (0)	No App Review requested	Request advanced access	

Возвращаемся в пункт "Settings" меню "Facebook Login" расположенного слева.

Меняем настройку для "Embedded Browser OAuth Login", в поле "Valid OAuth Redirect URIs" указываем адрес редиректа из поля "Facebook Valid OAuth Redirect URIs" из поля плагина (например [https://\[адрес агента\]/plugin/request/RedirectAuthOtpapi/fb.callback](https://[адрес агента]/plugin/request/RedirectAuthOtpapi/fb.callback)), затем жмем "Save changes"

Easily add Facebook Login to your app with our Quickstart

Client OAuth settings

☒ Yes
 Client OAuth login
 Enables the standard OAuth client token flow. Secure your application and prevent abuse by locking down which token redirect URIs are allowed with the options below. Disable globally if not used. [?]

☒ Yes
 Web OAuth login
 Enables web-based Client OAuth Login. [?]

☐ No
 Force Web OAuth reauthentication
 When on, prompts people to enter their Facebook password in order to log in on the web. [?]

☒ Yes
 Use Strict Mode for redirect URIs
 Only allow redirects that exactly match the Valid OAuth Redirect URIs. Strongly recommended. [?]

☒ Yes
 Enforce HTTPS
 Enforce the use of HTTPS for Redirect URIs and the JavaScript SDK. Strongly recommended. [?]

☒ Yes
 Embedded Browser OAuth Login
 Enable webview Redirect URIs for Client OAuth Login. [?]

Valid OAuth Redirect URIs

A manually specified redirect_uri used with Login on the web must exactly match one of the URIs listed here. This list is also used by the JavaScript SDK for in-app browsers that suppress popups. [?]

✕

Copy to clipboard

☐ No
 Login from Devices
 Enables the OAuth client login flow for devices like a smart TV [?]

☐ No
 Login with the JavaScript SDK
 Enables Login and signed-in functionality with the JavaScript SDK. [?]

Allowed Domains for the JavaScript SDK

Login and signed-in functionality of the JavaScript SDK will only be available on these domains. [?]

Deauthorize

Discard
Save changes

Переходим в общие настройки, для этого в левом меню выбираем "Settings" -> "Basic".



TestApp

App ID: 1931283510408081

App type: Consu



Dashboard



Settings



Basic

Advanced



Roles



Alerts



App Review



Products

[Add Product](#)

Facebook Login



Settings

Quickstart

Activity Log



Activity Log

Вводим необходимые данные: Privacy Policy URL, Terms of Service URL, App icon.

Для пункта "Category" выбираем "Shopping", для "App purpose" выбираем "Clients".

В "User data deletion" сначала выбираем "Data deletion callback URL", затем вводим [https://\[адрес агента\]/plugin/request/RedirectAuthOtap/fb.delete.callback?application_id=\[AppID\]](https://[адрес агента]/plugin/request/RedirectAuthOtap/fb.delete.callback?application_id=[AppID]), где App ID берется выше.

Затем жмем "Save changes".

Примечание: иногда эта ссылка слетает, и сверху появляется плашка с красным восклицательным знаком, необходимо просто снова заполнить это поле.

App ID 1931283510408081	App secret <a>Show
Display name TestApp	Namespace
App domains	Contact email panchuk51@mail.ru
Privacy Policy URL https://manager-test.otcommerce.com/main_user_agreement	Terms of Service URL https://manager-test.otcommerce.com/main_user_agreement
User data deletion Data deletion callback URL https://auth.otapi.net/fb.delete.callback?application_id=19312835...	App icon (1024 x 1024)  1024 x 1024
Category Shopping Find out more information about app categories here	App purpose This app's primary purpose is to access and use data from Facebook's Platform on behalf of: ☐ Yourself or your own business ☒ Clients Select this option if the primary purpose of this app is to manage data or assets on behalf of an individual client or multiple clients.  If you are developing an app that accesses and uses data from Facebook's Platform on behalf of clients, you are subject to Section 5b of the Platform Terms .
<a>Discard <a>Save changes	

Для настроек в админке нужны будут следующие данные - App ID и App secret (его можно увидеть нажав "Show" рядом с ним).

App ID

1931283510408081

App secret

3f3caa7b27dfb3eaa242ac1f7ff1600b

Reset

Display name

TestApp

Namespace

App domains

Contact email ⓘ

panchuk51@mail.ru

Privacy Policy URL

https://manager-test.otcommerce.com/main_user_agreement

Terms of Service URL

https://manager-test.otcommerce.com/main_user_agreement

User data deletion ⓘ

Data deletion callback URL

https://auth.otapi.net/fb.delete.callback?application_id=19312835...

App icon (1024 x 1024)



1024 x 1024

Category

Shopping ▾

Find out more information about app categories [here](#)

App purpose

This app's primary purpose is to access and use data from Facebook's Platform on behalf of:

☐ Yourself or your own business

☒ Clients

Select this option if the primary purpose of this app is to manage data or assets on behalf of an individual client or multiple clients.

💡 If you are developing an app that accesses and uses data from Facebook's Platform on behalf of clients, you are subject to [Section 5b of the Platform Terms](#).

Discard

Save changes

Важный шаг: при создании приложения оно создается в режиме разработчика "Development" после внесения всех настроек его необходимо перевести в режим "Live" это можно сделать в верхнем меню.

Meta for Developers

Docs Tools Support My Apps

TestApp ▾

App ID: 1931283510408081

App type: Consumer

App Mode: Development ☐ Live

Meta for Developers

TestApp ▾

App ID: 1931283510408081

App type: Consumer

App Mode: Development ☒ Live

Проверка использования данных (Data use checkup)

Проверка появляется после выпуска приложения из тестового режима в режим "Live". Может появиться через время.

Для начала необходимо начать проверку, вызвать эту проверку можно многими способами.

1. Из окна всех приложений нажав на "Data Use Checkup".
2. Просто при открытии настроек приложения нажав "Get started".
3. На главном экране приложения нажав "Start Checkup".
4. В основных настройках нажав "Get started".

Action required: Complete Data Use Checkup for TestApp by April 11, 2022. [Get started](#)

Required actions

Action	Details	Deadline
Data Use Checkup for TestApp APP ID: 1931283510408081	Certify compliance with allowed usage and all applicable terms and policies. Learn more	● 40 days Apr 12, 2022

Start Checkup

Application Rate Limit

TestApp
App ID: 1931283510408081

0% of limit used


100% Remaining

View Details


User Rate Limit

0
Users throttled

[illegible]



После чего появится окно подтверждения, нужно нажать "Get started".



После чего поставить галочку и нажать "Continue".

Data Use Checkup for demo app

Go Back

Your app is approved for the following permissions, features and products. Please examine the allowed usage for each and certify you're in compliance. Before submitting, you'll also need to certify your compliance with the Facebook Platform Terms and Developer Policies, together with all other applicable terms and policies. [Learn More](#)

For each app owned or operated by a business or entity, you understand and agree that you are certifying on behalf of that business or entity, and you represent and warrant that you have all necessary authority to do so.

Certify Data Use



To certify, click the box next to each permission or feature before continuing.

public_profile

No API calls in last 30 days

The public_profile (i.e. Default Public Profile Fields) permission allows your app to read public User fields, such as a user's name and profile picture. The allowed usage for this permission is to authenticate app users and provide them with a personalized in-app experience. This permission is automatically granted to all apps. You may also use this permission to request analytics insights to improve your app and for marketing or advertising purposes, through the use of aggregated and de-identified or anonymized information (provided such data cannot be re-identified).



I certify that any use of public_profile is in compliance with the allowed usage.

Continue

Certify Compliance with Platform Terms and Developer Policies



Submit

Need some help?

Visit our [FAQs](#) for quick answers.

Затем повторить подтверждение.

Data use certified



Certify Compliance with Platform Terms and Developer Policies



Summary of key sections in Facebook Platform Terms

Here's a quick summary of some key restrictions and requirements that may apply:

- **Prohibited uses and processing of Platform Data (Section 3.a)**
Restrictions on processing of Platform Data, including restrictions against selling, licensing or purchasing Platform Data, as well as processing it to discriminate against people, make eligibility determinations or for surveillance purposes.
- **Restricted Platform Data (Section 3.b)**
Restrictions on requesting restricted Platform Data, except as necessary to meaningfully improve user experience in the specific product or service for which someone shared their data.
- **Sharing Platform Data (Section 3.c)**
Restrictions on sharing Platform Data with third parties.
- **Retention, deletion and accessibility of Platform Data (Section 3.d)**
Requirements on when Platform Data must be deleted.
- **Providing, maintaining and complying with your Privacy Policy (Section 4)**
Requirements for the content and accessibility of, and your compliance with, your Privacy Policy.



I certify compliance with the [Facebook Platform Terms](#) and [Developer Policies](#), together with all other applicable terms and policies.

Continue

Submit

После чего видно окно успешного подтверждения.



TestApp
ID #1931283510408081

Data Use Checkup for TestApp

Go back

Your app is approved for the following permissions, features and products. Please examine the allowed usage for each and certify you're in compliance. Before submitting, you'll also need to certify your compliance with the Facebook Platform Terms and Developer Policies, together with all other applicable terms and policies. [Learn more](#)

For each app owned or operated by a business or entity, you understand and agree that you are certifying on behalf of that business or entity, and you represent and warrant that you have all necessary authority to do so.

Data use certified



Terms and policies compliance certified



Submit

Need some help?

Visit our [FAQs](#) for quick answers.



Data Use Checkup complete

Thanks for your help in maintaining the health and integrity of our platform. If you're an admin for other apps, be sure to complete their checkups to avoid deactivation.

OK